

CONCENTRATE - MAKES 10 GALLONS

HARVEST SAME DAY
FOR ORGANIC GARDENING

ORGANOCIDE®

BEE SAFE 3-in-1

GARDEN SPRAY

INSECTICIDE ■ FUNGICIDE ■ MITICIDE



MADE IN
USA ★



KILLS: Aphids, Whiteflies, Spider Mites, Fungus Gnats, Thrips, Mealy Bugs and Scale Insects by contact*

CONTROLS: Powdery Mildew, Downy Mildew, Black Spot and Greasy Spot

FOR USE ON: Fruits, Vegetables, Roses, Flowers, Ornamentals, Shrubs & Trees

*Kills eggs, larvae, nymphs and adult stages of over 25 soft bodied insects

Will NOT Harm Bees!



Net Contents: ONE QUART - 32 Fl. Oz. (946 mL)

KEEP OUT OF REACH OF CHILDREN
CAUTION

Active Ingredient	
Sesame Oil.....	5.00%
Potassium Sorbate.....	0.50%
Other Ingredients.....	94.50%
Water	
Fish Oil	
Lecithins	
TOTAL	100.00%

Peel for Additional Information and Directions for Use
Pelar para Información Adicional y Instrucciones de Uso



ORGANOCIDE®

BEE SAFE 3-in-1 GARDEN SPRAY

QUART CONCENTRATE - MAKES 10 GALLONS

Safe for use in the home or garden when used as directed. Can be used up to the day of harvest. Shake occasionally while using. Natural products tend to settle if not agitated.

Effective on: Small, Soft-Bodied Insects, Spider Mites, Scales & Certain Fungal Diseases, as listed

Soft on: Beneficial Insects — Will **NOT** harm **Bees** or **Adult Butterflies**

Kills ALL STAGES of Small, Soft-Bodied Insects: **Eggs • Larvae • Nymphs • Adults**

Organocide® Bee Safe 3-in-1 Garden Spray will stain concrete and clothing.

PESTICIDE STORAGE, DISPOSAL AND CONTAINER HANDLING

Store in a cool, dry area. Always store pesticides in the original container in a secure area away from children and pets. Store away from food and pet food. Do not contaminate water, food, or feed by storage and disposal. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Warranty: Please review and follow the instructions for the intended use of the product as indicated on the label. Use contrary to label instructions may cause adverse consequences. Since Seller cannot assure that the product will be used consistent with the instructions provided, Seller makes no warranty, express or implied concerning the use of this product.

This product has not been registered by the United States Environmental Protection Agency. Organic Laboratories, Inc. represents that this product qualifies for 25(b) exemption from registration under the Federal Insecticide, Fungicide, and Rodenticide Act.

www.YourPlantDoctor.com



ORGANIC LABORATORIES, INC.



5520 Glades Cut-Off Rd., Fort Pierce, FL 34981 — 772-286-5581

6 79045 11958 1

ORGANOCIDE® BEE SAFE 3-in-1 GARDEN SPRAY QUART CONCENTRATE

***Read entire label before use.
Use only in accordance with label instructions.***

Directions for Use (not recommended for indoor use): SHAKE WELL FIRST. Dilute 3 oz. of Organocide® Bee Safe 3-in-1 Garden Spray per gallon of water and shake well to blend. Once blended, shake often while in use to prevent separation. Diluted solution can be used up to 30 days. Use a sprayer that will put out a fine spray. Spray leaves and stems of plants, making sure tops and bottoms are covered, until run-off. If spraying on severely stressed or damaged plants, consider using a lower rate such as 1 oz. per gallon to avoid adding additional stress. For best results, spray during the coolest time of the day (early morning or late evening) and allow 3-4 hours for product to dry. Do not apply when temperatures exceed 95°F. A single application is normally enough for preventative control. For normal maintenance, spray once per month or as needed to spot treat areas. For severe problems, make two applications 3-4 days apart. Reapply in 7 days if problem persists.

Garden Insects: Organocide® Bee Safe 3-in-1 Garden Spray kills the eggs, larvae, nymphs, and the adult stages of over 25 soft bodied insects including (but not limited to) Aphids, Hemlock Woolly Adelgid, Leafrollers, Mealy Bugs, Thrips, White-Flies, and Fungus Gnats.

Spider Mites: Including, (but not limited to) European Red Mite, Spruce Mite, Maple Mite, Southern Red Mite, Two Spotted Mite, Six Spotted Mite, Texas Citrus Mite and Rust Mite.

Scale Insects: Including (but not limited to) Sago Palm Scale, Magnolia Scale, Oleander Scale, San Jose Scale, Hemlock Woolly Adelgid and Euonymus Scale.

Diseases: Organocide® Bee Safe 3-in-1 Garden Spray controls certain fungal diseases such as (but not limited to) Powdery Mildew, Downy Mildew, Black Spot on Roses, Helminthosporium and Greasy Spot on Citrus.

Target Plants: Vegetables, Fruits, Nuts, Vine Crops, Herbs, Ornamentals, Greenhouse Crops, Turfgrass, Landscape Plants, Bulbs, Flowers and Field Crops. Not For Indoor Use.

Plant Compatibility: When used as directed, Organocide® Bee Safe 3-in-1 Garden Spray has an unusually high degree of safety to most plants. However, some plants in the Euphorbia family (Crown of Thorns, Poinsettia) have shown some sensitivity. If in doubt, test first on a small area of foliage to determine plant safety.

ORGANOCIDE® BEE SAFE 3-in-1 GARDEN SPRAY

QUART CONCENTRADO

Antes de usar, lea la etiqueta completa

Use únicamente según las instrucciones en la etiqueta.

Instrucciones de Uso (no se recomienda para usar en interiores): AGITE BIEN PRIMERA. Diluya 3 onzas de Organocide® Bee Safe 3-in-1 Garden Spray por cada galón de agua y agite bien para mezclar. Una vez diluido, agite a menudo para evitar separación. La solución diluida se puede utilizar un máximo de 30 días. Use un rociador que emita un rocío fino. Rocíe las hojas y los tallos de las plantas, asegurándose de que los tops y los fondos estén cubiertos, hasta que se escurra. Si lo rocía sobre plantas sujetas a gran estrés o gravemente dañadas, considere usar una menor proporción como por ejemplo 1 oz. por galón para evitar que las plantas queden sujetas a estrés adicional. Para mejores resultados, rocíe durante la hora más fresca del día (mañana o tarde en la noche) y permitir 3-4 horas para que el producto se seque. No aplicar cuando las temperaturas superan los 95 ° F. Por lo general, una única aplicación es suficiente para el control preventivo. Para el mantenimiento regular, rocíe una vez al mes, o tal como sea necesario para tratar las áreas con manchas. Cuando se trate de un problema grave, aplíquelo dos veces, dejando 3-4 días de por medio entre las aplicaciones. Vuelva a aplicar en 7 días si el problema persiste.

Insectos de Jardín: Organocide® Bee Safe 3-in-1 Garden Spray mata los huevos, larvas, crisálidas, así como los insectos adultos, en todas sus etapas, de más de 25 insectos de cuerpo blando incluyendo (sin estar limitado a) áfidos, pulgón de la tsuga, enrolla-hojas, chinches, gorgojos, tisanópteros, moscas blancas y mosquitos de hongo.

Ácaros: Incluyendo (sin estar limitado a) ácaros rojos, ácaros araña de abeto, ácaros roya, ácaros rojos de cítricos, arañas de dos manchas, arañas de seis manchas, ácaros plateado y ácaro enroñador.

Insectos en Escamas: Incluyendo (sin estar limitado a) escamas de sagú, escamas de magnolia, escamas de adelfa, escamas de San José, pulgón de la tsuga y escamas de bonetero.

Enfermedades: El Organocide® Bee Safe 3-in-1 Garden Spray controla ciertas enfermedades causadas por hongos como (sin estar limitado a) roya polvoriento, roya negra, machas negras en las rosas, helmintosporium y manchas de grasa en los cítricos.

Plantas Objetivo: Vegetales, frutas, nueces, vides, hierbas, plantas ornamentales, plantas de invernadero, grama, plantas decorativas, bulbos, flores y cultivos de campo. No es para usar en interiores.

Compatibilidad con las Plantas: Cuando se usa según las instrucciones, el Organocide® Bee Safe 3-in-1 Garden Spray ofrece un alto grado de seguridad para la mayoría de las plantas que es poco común. Sin embargo, algunas plantas de la familia Euphorbiaceae (como corona de espinas y flor de pascua o poinsettia) han demostrado tener cierta sensibilidad al mismo. Si tiene alguna duda, pruebe primero en una pequeña área del follaje para determinar la seguridad específica con la planta.