

ACCEPTED
FOR REGISTRATION

MAY 04 2009

New York State Department
of Environmental Conservation
Division of Solid & Hazardous Materials
Pesticide Product Registration

Doc ID: 518394



Distributed By:

Rainbow Treecare Scientific Advancements

11751 K-Tel Dr

Minnetanka, MN 55343

1-877-ARBORIST

1-877-272-6747

www.treecarescience.com

EPA Reg. No. 74779-1
EPA Est. No. 63416-MN-001

©2009 Rainbow Treecare Scientific Advancements
Aracinate is a trademark of Rainbow Treecare Scientific Advancements

Classified for
“RESTRICTED USE”
in New York State
under 6NYCRR Part 326



NET CONTENTS **250 ml** (8.45 fl. oz.)

Aracinate™

Tree Injection

For injection into ornamental and non-crop-bearing trees and woody shrubs for control of mites and suppression and control of certain insects.

ACTIVE INGREDIENT:	
ABAMECTIN (CAS No. 65195-56-4 and 65195-55-3).....	2.0%
OTHER INGREDIENTS:	98.0%
TOTAL:	100.0%

KEEP OUT
OF REACH
OF CHILDREN

WARNING AVISO

See additional
precautionary
statements and
directions for
use inside booklet.



AD032603

FIRST AID

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
- Do not give any liquid to the person.
- Do not induce vomiting unless told to do so by the poison control center or a doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

IF INHALED

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a Poison Control Center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

FIRST AID

Note to Physician: Early signs of intoxication include dilation of pupils, muscular incoordination and muscular tremors. Toxicity following accidental ingestion of Aracinate™ Tree Injection can be minimized by early administration of chemical adsorbents (e.g. activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of the resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements.

In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER

For 24 hour medical emergency assistance
(human or animal) or chemical emergency assistance (spill, leak
or accident)

Call **CHEMTREC** at 1-800-424-9300

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Causes substantial, but temporary eye injury. Wear protective eyewear. Do not get in eyes, or on clothing. Harmful if inhaled or absorbed through the skin. Prolonged or frequently repeated exposure may cause allergic skin reactions in some individuals. Do not breathe vapor. Avoid contact with skin.

Personal Protective Equipment

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category B on an EPA chemical-resistance category selection chart.

Mixers, loaders, applicators and other handlers must wear:

- Coveralls over short sleeved shirt and short pants
- Chemical-resistant gloves – EPA chemical-resistance category B (e.g. barrier laminate or butyl rubber 14 mils).
- Chemical resistant footwear plus socks
- Protective eyewear
- Wear chemical-resistant apron when cleaning equipment, mixing or loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

ATTENTION

This product contains a chemical (N-methyl pyrolidone) known to the state of California to cause birth defects or other reproductive harm.

DIRECTIONS FOR USE

It is a violation of Federal (U.S.) law to use this product in a manner inconsistent with its labeling.

Aracinate™ Tree Injection is a specially formulated water soluble Abamectin to be used for injection into non-crop bearing trees for control of mites and suppression and control of certain insects. Aracinate™ Tree Injection can be used as directed by commercial applicators on all non-crop bearing species of ornamentals located in commercial and residential areas wherever trees and woody shrubs are grown.

Aracinate™ Tree Injection can also be used in commercial forestry production, nurseries, greenhouses, and in recreational forests. Certain insecticide applications may result in an increase in mite populations on treated ornamentals; this product may be used immediately following an insecticide application to reduce follow-up outbreaks in mite populations.

DOSAGE AND TIMING

As with most pesticides, because efficacy may vary depending on weather conditions, geographic conditions and other biological factors, applicators should treat small-scale outbreaks on a small number of trees prior to treating large numbers of trees.

INSECTS & MITES on Woody Ornamentals

INSECTS & MITES on Woody Ornamentals	DOSAGE & TIMING
INSECTS Adelgids Aphids Boxwood Leafminer Elm leaf beetle Flathead borer Lacebug Lepidoptera insects Leafminers Scale Thrips White pine weevil	Use 5 milliliters of Aracinate Tree Injection per 2 inches of cumulative trunk diameter at 4.5' above ground level. To determine the number of injection devices, divide the tree diameter by 2. If this results in a fraction, round up to the nearest whole number. Fill each device with 5 ml of product. Space injection sites approximately 6" apart around the circumference of the tree. Or Use 5 milliliters of Aracinate Tree Injection per 2 inches of cumulative trunk diameter at 4.5' above ground level diluted in 10 ml of water, so that each injection device is filled with 15 ml of total solution. To determine the number of injection devices, divide the tree diameter by 2. If this results in a fraction, round up to the nearest whole number. Space injection sites approximately 6" apart around the circumference of the tree.
MITES Camine Spider Mite Cyclamen and Broad Mites Eriophyid Mites European Red Mite Rust and Bud Mites Southern Red Mite Spruce Spider Mite Tarsoneimid Mites Twospotted Spider Mite	

Apply 2 weeks before expected emergence of the pest or as the pest appears.

Mixing Instructions

1. See the table above to determine the proper dosage rate for Aracinate™ Tree Injection.
2. Shake the Aracinate™ Tree Injection concentrate container prior to measuring out the desired amount.
3. Following the manufacturer's recommendations, dispense the desired amount of Aracinate™ Tree Injection.

Application Instructions

Aracinate™ Tree Injection can be used with a variety of root-flare injection devices. For all injection devices, read carefully and follow all manufacturer use directions.

When using multiple injection devices, it is important to drill the hole only for that device, seat the device, and start the injection process immediately prior to drilling and seating the next device. This limits the amount of resin buildup, which can slow down the uptake time.

Most injection devices may require up to several minutes or more to empty into the tree depending on the health of the treated tree and local weather conditions. Do not leave injection devices unattended.

Reapplication

This product may be reapplied annually.

Removal

Promptly and safely remove the injection devices according to the manufacturer's instructions after the solution has emptied into the tree. Do not leave empty injection devices on trees. Follow the manufacturer's recommendations for proper cleaning and storage of the injection devices.

If the injection device does not completely empty within a few hours, depressurize the device and remove following manufacturers instructions so as to prevent any leaking of the solution. When using a refillable injection device, empty the leftover solution into an enclosed chemical resistant container. After the leftover solution has been emptied from the injection device, triple rinse the device with water. Ensure that the rinsate is collected in an enclosed chemical resistant container. Dispose of the leftover solution and rinsate according to state and local authorities.

Restrictions

- Use only on non-crop bearing trees and shrubs. Do not use on trees or shrubs, which will produce food within one year following application.
- Due to toxicity to bees, use for micro-injection only as a post bloom application.
- Aracinate™ Tree Injection is not for use on trees and shrubs less than 2" Diameter at Breast Height.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Storage

Store in a tightly closed container in a cool dry place.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Triple rinse (or equivalent). Then offer for pesticide container recycling, dispose of in an incinerator or landfill approved for pesticide containers, or dispose of by other procedures approved by state and local authorities.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately.

Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

Notice: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Tree injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or tree conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS or seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS and seller harmless for any claims relating to such factors.

RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS, and Buyer and User assume the risk of any such use. To the extent consistent with

applicable law, RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the fullest extent permitted by law, RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS.